



handling, transport & storage general instructions


UniKeg safety warnings



Depressurize
immediately after
use.



Dispense pressure
max. 4.1 bar
(60 psi)



Do not depressurize
in a confined space.
Danger of suffocation.

warning

read carefully before use • keg under pressure
handle with care • professional use only • do not reuse
• storage - keep below 40°C



Keep away from
cleaning agents as
alkaline, caustic
hydroxides or soapy
cleaning products
with pH > 9.



Do not
pierce or
cut with
sharp
objects.



Do not roll.




Keep away from
open
fire or
other heat
sources.



Keep away from
direct sunlight.



Palletizing



| Empty Kegs | 20 L | 30 L |
|---------------------|---|--------------|
| Pallet size type | Block / ISO2 (1.0 × 1.2 m - 39,37" x 47 ¼ ") | |
| No. of layers | 4 | 4 |
| Kegs per layers | 20 | 12 |
| Kegs per pallet | 80 | 48 |
| Orientation | Upside down | |
| Height type S and D | 2.42 m - 96" | 2.42 m - 96" |
| Height type A | 2.48 m - 98" | 2.48 m - 98" |
| Notes | Pallets are shrink wrapped with white foil and top is covered with a cardboard sheet. | |

Filled kegs

The maximum stacking height for filled UniKegs is based on their mechanical properties and does not take local health and safety regulations or the maximum pallet, truck or container load into account.



| Filled Kegs | 20 L | 30 L |
|-----------------------------------|--|----------------|
| Max. no. of layers | 3* | 3* |
| Kegs per layer | 20 | 12 |
| Kegs per pallet | 60 | 36 |
| Orientation | Right-side up | |
| Height type S and D | 1.86 m - 74" | 1.86 m - 74" |
| Height type A | 1.90,5 m - 75" | 1.90,5 m - 75" |
| Max. stacking height in warehouse | 8 layers | 8 layers |
| Recommendations | Pallets must be shrink wrapped and top covered with cardboard sheet. | |

*With intermediate pallets.



Transport of empty kegs

| Number of Pallets | 20 L | 30 L |
|---------------------------------------|------|------|
| 45 ft. High Cube Pallet | 26 | 26 |
| 40 ft. High Cube | 22 | 22 |
| 40 ft. Reefer | 20 | 20 |
| 20 ft. Standard (one layer less high) | 10 | 10 |
| 20 ft. Reefer | 9 | 9 |
| Truck (13.6 mtr) | 26 | 26 |
| Truck with trailer (2 × 7m) | 28 | 28 |
| Jumbo truck (2 × 7.7 m) | 28 | 28 |
| US truck 48' | 28 | 28 |
| US truck 53' | 30 | 30 |

| Number of empty UniKegs | 20 L | 30 L |
|---------------------------------------|------|------|
| 45 ft. High Cube Pallet | 2080 | 1248 |
| 40 ft. High Cube | 1760 | 1056 |
| 40 ft. Reefer | 1600 | 960 |
| 20 ft. Standard (one layer less high) | 600 | 360 |
| 20 ft. Reefer | 540 | 324 |
| Truck (13.6 mtr) | 2080 | 1248 |
| Truck with trailer (2 × 7 m) | 2240 | 1344 |
| Jumbo truck (2 × 7.7 m) | 2240 | 1344 |
| US truck 48' | 2240 | 1344 |
| US truck 53' | 2400 | 1440 |

