




handling, transport & storage general instructions


UniKeg safety warnings



Depressurize
immediately after
use.



Dispense pressure
max. 4.1 bar
(60 psi)



In case of CO₂ use:
do not depressurize
in a confined space.
Danger of suffocation.

warning

- read carefully before use • keg under pressure
- handle with care • professional use only • do not reuse
- storage - keep below 40°C



Keep away from
cleaning agents as
alkaline, caustic
hydroxides or soapy
cleaning products
with pH > 9.



Do not
pierce or
cut with
sharp
objects.



Do not roll.



Keep away
from open
fire.



Keep away from
direct sunlight or
other heat sources.



Palletizing



Empty Kegs	1/6 BBL	20 L	30 L
Pallet size type	Block / ISO2 (1.0 × 1.2 m - 39,37" x 47 ¼ ")		
No. of layers	4	4	4
Kegs per layer	20	20	12
Kegs per pallet	80	80	48
Height type S and D	(D) 2.38 m – 93.7"	(S and D) 2.42 m - 96"	(S and D) 2.42 m - 96"
Height type A		2.48 m - 98"	2.48 m - 98"
Orientation	Upside down		

Notes

Pallets are shrink wrapped with white foil and top is covered with a cardboard sheet.

Filled Kegs

The maximum stacking height for filled KeyKegs is based on their mechanical properties and does not take local health and safety regulations or the maximum pallet, truck or container load into account.



Filled Kegs	1/6 BBL	20 L	30 L
Max. no. of layers	3*	3*	3*
Kegs per layer	20	20	12
Kegs per pallet	60	60	36
Height type S and D	(D) 1.83 m - 72"	(S and D) 1.86 m - 74"	(S and D) 1.86 m - 74"
Height type A		1.90,5 m - 75"	1.90,5 m - 75"
Orientation	Right-side up		
Max. stacking height in warehouse	8 layers	8 layers	8 layers

Recommendations

Pallets must be shrink wrapped and top covered with cardboard sheet.



Transport of empty Kegs

Number of Pallets	1/6 BBL	20 L	30 L
45 ft. High Cube Pallet	26	26	26
40 ft. High Cube	22	22	22
40 ft. Reefer	20	20	20
20 ft. Standard (one layer less high)	10	10	10
20 ft. Reefer	9	9	9
Truck (13.6 mtr)	26	26	26
Truck with trailer (2 × 7m)	28	28	28
Jumbo truck (2 × 7.7 m)	28	28	28
US truck 48'	28	28	28
US truck 53'	30	30	30

Number of empty Kegs	1/6 BBL	20 L	30 L
45 ft. High Cube Pallet	2080	2080	1248
40 ft. High Cube	1760	1760	1056
40 ft. Reefer	1600	1600	960
20 ft. Standard (one layer less high)	600	600	360
20 ft. Reefer	540	540	324
Truck (13.6 mtr)	2080	2080	1248
Truck with trailer (2 × 7 m)	2240	2240	1344
Jumbo truck (2 × 7.7 m)	2240	2240	1344
US truck 48'	2240	2240	1344
US truck 53'	2400	2400	1440