



handling, transport & storage general instructions


UniKeg safety warnings



Depressurize immediately after use.



Dispense pressure max. 4.1 bar (60 psi)



Do not depressurize in a confined space. Danger of suffocation.

warning

read carefully before use • keg under pressure
handle with care • professional use only • do not reuse
• storage - keep below 40°C



Keep away from cleaning agents as alkaline, caustic hydroxides or soapy cleaning products with pH > 9.



Do not pierce or cut with sharp objects.



Do not roll.




Keep away from open fire or other heat sources.



Keep away from direct sunlight.



Palletizing



Empty Kegs	20 L	30 L
Pallet size type	Block / ISO2 (1.0 × 1.2 m - 39,37" x 47 ¼ ")	
No. of layers	4	4
Kegs per layers	20	12
Kegs per pallet	80	48
Orientation	Upside down	
Height type S and D	2.42 m - 96"	2.42 m - 96"
Height type A	2.48 m - 98"	2.48 m - 98"
Notes	Pallets are shrink wrapped with white foil and top is covered with a cardboard sheet.	

Filled kegs

The maximum stacking height for filled UniKegs is based on their mechanical properties and does not take local health and safety regulations or the maximum pallet, truck or container load into account.



Filled Kegs	20 L	30 L
Max. no. of layers	3*	3*
Kegs per layer	20	12
Kegs per pallet	60	36
Orientation	Right-side up	
Height type S and D	1.86 m - 74"	1.86 m - 74"
Height type A	1.90,5 m - 75"	1.90,5 m - 75"
Max. stacking height in warehouse	8 layers	8 layers
Recommendations	Pallets must be shrink wrapped and top covered with cardboard sheet.	

*With intermediate pallets.



Transport of empty kegs

Number of Pallets	20 L	30 L
45 ft. High Cube Pallet	26	26
40 ft. High Cube	22	22
40 ft. Reefer	20	20
20 ft. Standard (one layer less high)	10	10
20 ft. Reefer	9	9
Truck (13.6 mtr)	26	26
Truck with trailer (2 × 7m)	28	28
Jumbo truck (2 × 7.7 m)	28	28
US truck 48'	28	28
US truck 53'	30	30

Number of empty UniKegs	20 L	30 L
45 ft. High Cube Pallet	2080	1248
40 ft. High Cube	1760	1056
40 ft. Reefer	1600	960
20 ft. Standard (one layer less high)	600	360
20 ft. Reefer	540	324
Truck (13.6 mtr)	2080	1248
Truck with trailer (2 × 7 m)	2240	1344
Jumbo truck (2 × 7.7 m)	2240	1344
US truck 48'	2240	1344
US truck 53'	2400	1440

